Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	707/104.1.ccls. and (page adj configu\$5) and (client with (activit\$3 or event) with data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 12:01
L3	1	707/10.ccls. and (page adj configu\$5) and (client with (activit\$3 or event) with data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/08/06 12:01
L4	1	709/227.ccls. and (page adj configu\$5) and (client with (activit\$3 or event) with data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 12:01
L5	4	709/217.ccls. and (page adj configu\$5) and (client with (activit\$3 or event) with data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/06 12:00
L6	0	707/100.ccls. and (page adj configu\$5) and (client with (activit\$3 or event) with data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/08/06 12:02
L7	1	707/3.ccls. and (page adj configu\$5) and (client with (activit\$3 or event) with data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 12:02
S1	2	"200501879 <u>4</u> 5"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:56
S2	8477	page with configu\$5 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:58

S3	641	page adj configu\$5 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:58
S4	706	(page with configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:59
S5	46	(page adj configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 14:00
S6	33	(page adj configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219" and server and send\$4 and receiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 10:23
S7	15	(page adj configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and collect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 10:45
S8	14	"20050097190" or "20030120472" or "20040148351" or "20050198300" or "20030154277"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:40
S9	0	(page adj configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and (data near2 collect\$4 near2 (client or user) near2 (system or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 10:24
S10	0	(page adj configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and (data with collect\$4 near2 (client or user) with (system or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 10:25
S11	10	(page adj configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and (data with collect\$4 with (client or user) with (system or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 10:25

C12 T		(110 202::2	0.5	01:	2006/00/05 12 2:
S12	7	(page adj configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and collect and (data with collect\$4 with (client or user) with (system or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 10:34
S13	7 :: _/	(page adj configu\$5) and ((user or client) with (activit\$3 or event) with data wiht (collect\$4 near2 client)) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and collect and (data with collect\$4 with (client or user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 10:36
		with (system or computer))				
S14	2	(page adj configu\$5) and (client with (activit\$3 or event) with data wiht (collect\$4 near2 client)) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and collect and (data with collect\$4 with (client or user) with (system or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON · ·	2006/08/05 10:39
S15	7	(page adj configu\$5) and (client with (activit\$3 or event) with data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and collect and (data with collect\$4 with (client or user) with (system or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 13:07
S16	9	"20050097190" or "20030120472" or "20040148351" or "20050198300" or "20030154277"	US-PGPUB	OR	ON	2006/08/05 10:44
S17	2	(page adj configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and collect and ("20050097190" or "20030120472" or "20040148351" or "20050198300" or "20030154277")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 13:17
S18	38	(page adj configu\$5) and (client with (activit\$3 or event) with data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 12:00

				,	γ	· · · · · · · · · · · · · · · · · · ·
S19	0	(page adj configu\$5) and (client with (activit\$3 or event) with data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219" and "at the client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 13:08
S20	35	(page adj configu\$5) and (client with (activit\$3 or event) near2 data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/08/05 13:08
S21	33	(page adj configu\$5) and (client adj (activit\$3 or event) near2 data wiht ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 13:08
S22	0	(page adj configu\$5) and (client adj (activit\$3 or event) near2 data with ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 13:09
S23	0	(page adj configu\$5) and (client with (activit\$3 or event) with data with ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 13:09
S24	7	(page adj configu\$5) and (client with (activit\$3 or event) with data and ((collect\$4 or log\$4) near2 client)) and network and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 13:09
S25	298	(page with configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and collect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR [*]	ON	2006/08/05 13:18
S26	79	(page near2 configu\$5) and ((user or client) with (activit\$3 or event) with data) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and collect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 13:18
S27		(page near2 configu\$5) and ((user or client) with (activit\$3 or event) with data with page) and network and @ad < "20040219" and server and send\$4 and receiv\$4 and collect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 13:18